



Cola[®]Trope AHS

INCI/CFTA: Alkylether Hydroxypropyl Sultaine
CAS NUMBER: 108797-84-8, 108797-85-9

DESCRIPTION

Unlike some conventional surfactants used in 50% Caustic Soda solutions, **Cola[®]Trope AHS** is readily soluble and requires no prolonged mixing or heating. It is also stable in mineral acids (i.e., 25% HCl, 20% HNO₃, and 85% H₃PO₄).

Suggested uses are in the area of industrial and household products where high performance and low foam are required. Metal cleaning, bottle washing concentrates, heavy duty steam cleaning, wax stripping, etc., are only a few of the areas where **Cola[®]Trope AHS** deserves evaluation..

Tests show that 1.5% of **Cola[®]Trope AHS** in a 50% Sodium Hydroxide solution yields a surface tension of 35.8 dynes/cm. A solution of 0.3% **Cola[®]Trope AHS** in 10% Sodium Hydroxide has a surface tension of 25 dynes/cm.

Prolonged boiling of 0.3% **Cola[®]Trope AHS** in a 10% Caustic Soda solution showed no loss of effectiveness in lowering surface tension.

In addition to being an effective wetting agent and detergent in Caustic Soda solutions, **Cola[®]Trope AHS** at 1.0% in HCl and at 10% in Nitric Acid solutions lowers the surface tension to below 30 dynes/cm.

TYPICAL PROPERTIES

Ross Miles Foam Tests 1.0% Solution	10 mm
Ross Miles Foam Test 0.1% Solution	5 mm
Solids (Moisture Balance), %	49.0 – 51.0
NaCl, %	8.0 Max
pH (as is @ 25°C)	7.5 – 9.5

STANDARD APPLICATION

Cola[®]Trope AHS is intended for use in both alkaline and acid products where its low foam, ease of handling, and effective surface tension lowering will be of significant interest.

STANDARD PACKAGING

Cola[®]Trope AHS is available in bulk quantities, 500-lbs. closed head poly drums and 500-lbs. open head fiber drums.

SHELF LIFE

Cola[®]Trope AHS has a shelf life of one year.



Colonial Chemical, Inc.

PO Box 111 South Pittsburg, TN 37380 Phone: (423) 837-8800 Fax: (423) 837-3888 www.colonialchem.com

Technical information contained herein is believed to be accurate. However, it is furnished without charge or obligation and is given and accepted at the recipient's sole risk. No guarantee of the accuracy of the information is made and the products discussed are sold without conditions or warranties expressed or implied. Nothing contained herein shall be considered a recommendation for any use that may infringe upon patent rights.