

Cola®Det EQ-18

CLEARANCES: TSCA, REACH, AICS, DSL, NZIoC, ASIA-PAC

CAS #: 68515-73-1 / 68139-30-3 / 61789-40-0 / 68333-82-4 / 39354-45-5 / 26838-05-1

INCI NAME

Decyl Glucoside, Cocamidopropyl Hydroxysultaine, Cocamidopropyl Betaine, Cocamide MIPA, Disodium Laureth Sulfosuccinate, Disodium Lauryl Sulfosuccinate

INTRODUCTION

Cola®Det EQ-18 is a sulfate-free, gentle, concentrated blend of surfactants for use as a base for high-foam personal care products. The eco-friendly blend is free of alcohol, diethanolamides, lauryl sulfates, laureth sulfates, parabens and formaldehyde. The surfactant ingredients in this blend originate from natural, renewable resources. Cola®Det EQ-18 responds gently to viscosity-building with the simple addition of sodium chloride.





APPLICATIONS

 Shampoos 25 - 35% Body washes 30 - 40% Hand soaps 20 - 25%

BENEFITS

- Mild cleanser
- Excellent foaming capability
- Sulfate-, sulfonate-, DEA-, alcohol-, and formaldehyde-free components
- Naturally derived

TYPICAL PROPERTIES

Appearance Slightly tinted liquid Mild, characteristic Odor Color, Gardner pH (10 % Aqueous) 6.0 - 7.5Viscosity (@ 25°C), cps 7000 Max. Actives/Solids %

42.0 - 45.0 % Min.

FORMULATION

Cola® Det EQ-18 in a typical shampoo / body wash. Formula includes Cola®Quat CCG for conditioning.

Water	66.47
Cola®Det EQ-18	30.75
Cola®Quat CCG	1.98
Glydant Plus	.50
Citric acid	.15
Fragrance	.15


Formula Properties

Viscosity	1900 cps
pH (10 % Aqueous)	6.2
% Solids	14.5

www.colonialchem.com

Cola®Det EQ-18

VISCOSITY CURVE



Increased viscosity is achieved by simply increasing the percentage of **Cola®Det EQ-18** used in the formula.

STORAGE / HANDLING

It is recommended that **Cola®Det EQ-18** be stored in sealed containers below 30°C. Avoid overheating or freezing. If material is frozen, mild heat and agitation to 35°C are recommended to ensure the material is homogeneous before use. Handle between 25°C - 35°C.

Cola®Det EQ-18 is available in poly 55-gal drums, net weight 450 lbs.



Colonial Chemical, Inc. P. O. Box 111 South Pittsburg, TN 37380 Phone: 423-837-8800 Fax: 423-837-3888

Fax: 423-837-3888 www.colonialchem.com



WARRANTY

No warranties beyond the guarantee that Colonial Chemical products are manufactured to specs are expressed or implied, since the use of material is beyond our control.

Technical information contained herein is believed to be accurate. However, it is furnished without charge or obligation and is given and accepted at the recipient's sole risk. No guarantee of the accuracy of the information is made and the products discussed are sold without conditions or warranties expressed or implied. Purchasers should make their own tests and determine suitability of the product for their particular purposes. Nothing contained herein shall be considered a recommendation for any use that may infringe upon patent rights.

© 2011, Colonial Chemical, Inc. All rights reserved. 5/11/500