

취급품목			
상품명	일반명(INCI Name)	제조사명	원료 특징
EPC	Potassium Ascorbyl Tocopheryl Phosphate	Airge	Radical scavenging, Anti-dandruff, Moisturizing, Anti-acne effect
Tilack D	Titanium Dioxide	Ako Kasei	Good dispersibility and diability, because it have not hydrophobic like a carbon black and it have not maganetism like a iron black.
Avicel PH-102	Microcrystalline Cellulose	Asahi Kasei	Harmless to human body. White, tasteless, odorless. Comfortable feeling for use.
Sunlovely C	Silica	Ashai Glass	SUNLOVERY consists od new functional fine particles that are microscopic secondary parti-cles formed by nano-size ultra-thin (scaly) silicon dioxide (SiO <sub>2</sub> ) fine particles of the secondary particles.
Sunlovely LFS-C	Silica, 1,3-BG, Ethanol, Methyl Paraben, Water	Ashai Glass	Formed by the nanometer size ultra thin piece of primary particle composed silicon dioxides(SiO <sub>2</sub> ), Functional scaly silica slurry which is dispersed with the micero blade particles(secondary particle), layered structure where plural pieces are piled up pa
Sunlovely TZ-824	Silica, ZnO, TiO <sub>2</sub>	Ashai Glass	Powder in which 8wt% ultra fine TiO <sub>2</sub> and 24wt% ZnO are homogeneously carried on the surfae of "Sunlovely C" in average size 4~6 um.
Sunsphere H-121-ET	Silica	Ashai Glass	Water repellent performance, Dispersibility to oils, Texture improvement
Sunsphere H-32	Silica	Ashai Glass	A white, odorless and chemically stable silica which has SiO <sub>2</sub> purity of 99.9% minimum on a dry basis.
Sunsphere H-51	Silica	Ashai Glass	A white, odorless and chemically stable silica which has SiO <sub>2</sub> purity of 99.9% minimum on a dry basis.
Sunsphere H-52	Silica	Ashai Glass	A white, odorless and chemically stable silica which has SiO <sub>2</sub> purity of 99.9% minimum on a dry basis.
Umesui-C	Prunus mume fruit water	Azumanoen Co.,Ltd	Umesui is derived from umesu that is Japanese plum (Prumus mume) juice containing salt
Poly Glutamic Acid	Poly Gamma Glutamic Acid	Bio Leaders (Korea)	It is naturally found in the human corneal layer and plays an important role in moisturizing the skin.
Rheopearl ISK2	Stearoyl Inulin	Chiba Flour	Jellification of Cyclomethicone, Stabilization of Water in Silicone Emulsion, Rheological Modification of Wax
Rheopearl ISL2	Stearoyl Inulin	Chiba Flour	Jellification of various Oil, Stabilization of Water in Silicone Emulsion, Rheological Modification of Wax
Rheopearl KL2	Dextrin Palmitate	Chiba Flour	Thickner of Oil Ingredients, Oil-Gelling Agent, Emulsion Stabilizer, Pigment Dispersion Aid, Feel Modifier of Emulsion, Skin Adhesion aid for makeup products
Rheopearl MKL2	Dextrin Myristate	Chiba Flour	Oil gel by Rheopearl MKL is more transparent in the widely range of temperature (0-40°C)than Rheopearl KL.
Rheopearl TL2	Dextrin Palmitate	Chiba Flour	Oil gel by Rheopearl MKL is more transparent in the widely range of temperature (0-40°C)than Rheopearl KL.
Rheopearl TT2	Dextrin Palmitate/Ethylhexanoate	Chiba Flour	High restoration to gel state after collapse by stirring soft and thixotropic. Less oil-separation from gel.
UNIFILMA HVY	Dextrin isostearate	Chiba Flour	부드러운 피막형성, 피부, 모발에 밀착성이 높음, 박리성과 전사성이 낮아 피막 안정성이 높음, 빠른 피막 형성 기능이 탁월함, 배합품
OSA-C	Aluminum Starch Octenylsuccinate	Chiba Flour	롤링감, 실키한 느낌이 살아있는 식물원료파우더, 유계 화장품에 도
NEOCRESCE CFO	Fructo-oligosaccharide Caprlate	Chiba Flour	퍼짐성이 좋으며, 촉촉하면서도 끈적임 없이 가벼운 감촉, 밀착성이
Daiichi Cosmetic Pink DP-4	Ultramarines	Daiichi Kasei	Ultramarine Pink
Biocera G	Sphingomonas Extract	Dainihon Kasei	Easy to blend Ceramide-like material:Glycosphingolipid, High moisturizing effect
BC Mica KY62100	Mica	Dainihon Kasei	1-10µm, 백운모
Calamin Powder DN-1 White	Zinc Oxide, Silica, Talc, Aluminium Chloldide, PEG-4 Stearamide	Dainihon Kasei	Skin Lotion, 다층식 화장수, 수렴, 안료 분산 효과
Cosmeserve WP-58MP	Titanium Dioxide	Dainihon Kasei	Paste containing micronized titanium dioxide monoparticulated and stability in any kinds of oil base
Cosmeserve WPA-65MP	Zinc Oxide	Dainihon Kasei	Paste containing micronized Zinc Oxide monoparticulated and stability in any kinds of oil base compounds.
DN Silica SI-30	Silica	Dainihon Kasei	Silica
DN-Neo Sulfur W	Oleth-10, sulfur, Polysorbate 80	Dainihon Kasei	Oleth-10, sulfur, Polysorbate 80
Fine Powder C.P.M	Magnesium ascorbyl Phosphate	Dainihon Kasei	Magnesium ascorbyl Phosphate
Mica DN-PK-21D	Titanium Dioxide Mica polyethylene	Dainihon Kasei	Titanated Mica coated with polyethylene powder
Mica KY 513	Mica, TiO <sub>2</sub> , Polymethyl Methacrylate, Nylon-12, Polyethylene	Dainihon Kasei	Titanated Mica coated with polyethylene powder

취급품목			
상품명	일반명(INCI Name)	제조사명	원료 특징
Mica KY 728	Titanium Dioxide, Mica, Nylon-12, Methicone	Dainihon Kasei	Surface treated with silicon, for pressed powder
Mica KY 9000	Talc, TiO2, Mica, Boron Nitride, Nylon-12, Methicone	Dainihon Kasei	기능성분체, 체질안료, Boron Nitride등을 실리콘으로 표면 처리한 다층 분체
Mylonekton R	Tanakura Clay	Dainihon Kasei	Mylonekton entitled to use a name of "marine Sludge" in a sense of natural inorganic substance of the ocean origin
Nylon Poly Amide (DN-PK-12K)	Nylon Powder, Polyethylene	Dainihon Kasei	Nylon Powder coated with polyethylene powder
Quinceseed 2S	Quince (Pyrus Cydonia) Extract, Water, BG, Phenoxyethanol, Methyparaben	Dainihon Kasei	Functional Thickener of botanical origin, Mild feeling, non Sticky feel, dispersion Stabilizer, Protective Colloids
Sericite DN	Mica	Dainihon Kasei	Sericites DN should be suitable for cosmetic use, because they are serived from the selected native mineral deposits with little contents of heavy metals or arsenic and occur as fine white crystalline particles.
Sericite DN(SH)	Mica, Methicone	Dainihon Kasei	Sericite DN treated with methicone, 고풍택, Refreshing feel, Moisturizing powder
Sericite DN-MC	Mica	Dainihon Kasei	Sericites DN(SH) should be suitable for cosmetic use, because they are serived from the selected native mineral deposits with little contents of heavy metals or arsenic and occur as fine white crystalline particles.
SI Flamenco Satina 100	TiO2, Methyhydrogen Polysiloxane	Dainihon Kasei	Surface treated Titanium Oxide with silicon
SI Talc JA-46R	Talc, Methicone	Dainihon Kasei	Surface treated Talc with silicon
Silica Containing Silicone(SI-30)	Silica, Methyl Polysiloxane	Dainihon Kasei	Surface treated Silica with silicon
Soft Sericite T-6	Magnesium Potassium Fluorosilicate	Dainihon Kasei	Uniform quality because of synthetic. Narrow particle size distribution range. No crushing process for this product, and little contamination.
Sunsphere H-52-SH	Silica, Methyhydrogen Polysiloxane	Dainihon Kasei	Surface treated 고성능 micro-Sphere Fine Silica
Titanated Mica (DN-PK-21D)	Titanated Mica, Polyethylene	Dainihon Kasei	Titanated Mica coated with polyethylene powder
Titanated Mica KY 513	Mica, TiO2, Alkyl Acylate, Nylon Powder, Polyethylene	Dainihon Kasei	Titanated Mica coated with polyethylene powder
Titanated Mica KY 9000	Talc, TiO2, Mica, Boron Nitride, Polyamide, Methyhydrogen Polysiloxane	Dainihon Kasei	기능성분체, 체질안료, Boron Nitride등을 실리콘으로 표면 처리한 다층 분체
Cellulobeads D-5	Cellulose	Daito Kasei	Cellulobeads D-5, 10, 30, 50, 100, 200 Vegetal Origin, Smooth feeling as spherical powder, Can control diameter from 5 to 200 microns, Superior Hydrophilicity Absortion of water and oil Soft focus, Massage and Scrbbing
WD-VCB25	CHARCOAL POWDER etc	Daito Kasei	Vegetable Origin Dispersion, Low Viscosity -Shake Well Product - Stronger Color Strength than Black Iron Oxide, High Solid
SILK COTTON PW	CELLULOSE	Daito Kasei	Very light and bulky comparing with other bulking powders, Shows
RICE PW	ORYZA SATIVA (RICE) POWDER	Daito Kasei	Vegetable Origin for Natural Concept, Fine Powder, Vegetable Surface Treatment Grade is Available.
MST Treatment	Magnesium Stearate	Daito Kasei	Moist & Creamy Feeling, Superior Adhesion to the Skin, Good Water Repellency, Vegetable Origin for Natural Concept, Origin of
ECOBEBADS D-5	POLYLACTIC ACID	Daito Kasei	Biomass Material, Natural Hydrophobic Powder, Spherical Fine Powder
GERIGUARD SP-02	CERIUM OXIDE	Daito Kasei	Non Nano >100nm (Primary Particle Size: 200nm), Low Surface
CELLULOFLAKE	CELLULOSE	Daito Kasei	Vegetable Origin for Natural Concept, Flake Shape Fine Powder,
CERIGUARD PL-10	CERIUM OXIDE	Daito Kasei	Non Nano >100nm (Primary Particle Size: 5 X 15 nm), Low Surface Activity, UV Cut Effect, Superior Spreadability, SPF (in
Makimousse Polyacrylate Starch	Sodium Polyacrylate Starch	Daito Kasei	Thickener for Mousse Texture, 400 times water absorption capability, Good stability at higher temperature, various pH condition
WD-CB2	Sodium Dehydroacetate etc	Daito Kasei	Stable Dispersion at Low Viscosity, Contains 25% of FDA Certified Furnace Carbon Black, Easy to formulate, Eye Liner, Mascara
Daitosol 5000STY	Styrene/Acrylates Copolymer	Daito Kasei	① Transparency of appearance 4000SJT > 5000SJ = 5000STY > 5000AD ② Resistancy to moisture absorption 5000STY > 4000SJT > 5000SJ > 5000AD ③ 5000STY shows the best adhesiveness to the skin.

취급품목			
상품명	일반명(INCI Name)	제조사명	원료 특징
ASI Treatment	Zinc Lauroyl Aspartate & Isopropyl Titanium Triisostearate	Daito Kasei	Smooth Feeling and Uniform Adhesion to the skin, Water Proofness, Good dispersability in Liquid System(Silicone and Ester), Weak Acid pH (5-6), Moisturizing
ASI Treatment	Sodium Dilauramidoglutamide Lysine & Magnesium Chloride/Al,Zn or Ca	Daito Kasei	Gemini Type Amphiphilic Amino Acid Treatment Novel W/O Whipped Formula without Surfactant
Makibeads 80, 50, 250	Methyl Methacrylate Crosspolymer	Daito Kasei	Smooth Feeling, Spherical Beads, High Specific Area, Superior Absorption, Soft Focus Effect
LTS-2 Black No.710P	Hydrogenated Lecithin etc	Daito Kasei	Excellent Skin Affinity, Superior Adhesion to the Skin, Moist & Creamy Feeling, Good Water Repellency, Vegetable Origin for Natural Concept (Ecocert certified)
LTS-2 Red No.211P	Hydrogenated Lecithin etc	Daito Kasei	Excellent Skin Affinity, Superior Adhesion to the Skin, Moist & Creamy Feeling, Good Water Repellency, Vegetable Origin for Natural Concept (Ecocert certified)
LTS-2 Yellow No.602P	Hydrogenated Lecithin etc	Daito Kasei	Excellent Skin Affinity, Superior Adhesion to the Skin, Moist & Creamy Feeling, Good Water Repellency, Vegetable Origin for Natural Concept (Ecocert certified)
LTS-2 Mica SX	Hydrogenated Lecithin etc	Daito Kasei	Excellent Skin Affinity, Superior Adhesion to the Skin, Moist & Creamy Feeling, Good Water Repellency, Vegetable Origin for Natural Concept (Ecocert certified)
LTS-2 Sericite S	Hydrogenated Lecithin etc	Daito Kasei	Excellent Skin Affinity, Superior Adhesion to the Skin, Moist & Creamy Feeling, Good Water Repellency, Vegetable Origin for Natural Concept (Ecocert certified)
LTS-2 Talc S	Hydrogenated Lecithin etc	Daito Kasei	Excellent Skin Affinity, Superior Adhesion to the Skin, Moist & Creamy Feeling, Good Water Repellency, Vegetable Origin for Natural Concept (Ecocert certified)
LTS-2 TiO2 R250	Hydrogenated Lecithin etc	Daito Kasei	Excellent Skin Affinity, Superior Adhesion to the Skin, Moist & Creamy Feeling, Good Water Repellency, Vegetable Origin for Natural Concept (Ecocert certified)
VD-VCB25	Charcoal Powder etc	Daito Kasei	Vegetable Origin Dispersion, Low Viscosity (Shake Well Product), Non Nano Dispersion, High Solid Content(25%), for Water Proof Formula, Dust Free, for Natural Formula
Daitopersion Ti-50-80(MVD)	Titanium Dioxide etc	Daito Kasei	Vegetable Origin Dispersion, No Silicone, for Natural Formula, Low Viscosity (Shake Well Product), High Pigment Content(50%), Excellent Dispersibility
Daitopersion Ti-50-20(MVD)	Titanium Dioxide etc	Daito Kasei	Vegetable Origin Dispersion, No Silicone, for Natural Formula, Low Viscosity (Shake Well Product), High Pigment Content(50%),
Daitopersion Ti-50(W)	Titanium Dioxide etc	Daito Kasei	High Transparency, Low Viscosity (Shake Well Product), Excellent Dispersibility into Water, High Solid Content (50%), Easy to Prepare O/W Formula, No Silicone, Water Base for Natural
Cellulobeads USF	Cellulose	Daito Kasei	Ultimate Soft Focus Effect, Vegetable Origin for Natural Concept, Spherical Beads with Excellent Spreadability, Very Light
Daitosol 3000SLPN	Acrylate Copolymer	Daito Kasei	High Tg, hard Film, Good Transparency, No adhesiveness, Nonion
Daitosol 3000VP3	Acrylate Copolymer	Daito Kasei	Hard Film, High Viscosity, Excellent Transparency, Less Adhesiveness
Shea Butter	BUTYROSPERMUM PARKII (SHEA BUTTER)	DIOW	BUTYROSPERMUM PARKII (SHEA BUTTER)
Microethene MN722-00	Polyethylene	Equistar	Polyethylene
Boron Nitride CC06609	Boron Nitride	GE Advanced	Boron Nitride
L-Arginine	Arginine	Gibun Food	Arginine
S-Ben (W)	Quaternium-18 Bentonite	Hojun	Bentonite, Oil Dispersable Gelling Agent,
Gel Protein	Sodium Polygamma Glutamate	Idemitsu	Gel Protein, a natural, highly water-absorbing polymer made by a cross-linking technology and a fine-graining
Hydrogenated Castor Oil A	Hydrogenated Castor Oil	Ito	리시놀산 85-95%, 친수성이 높고 점성, 에탄올에 녹는다, 립스틱, пома드, 염료 용해제
1,3-BG	Butylene Glycol	Iwase Cosfa	Preservative Activity, Moisture Retention, Retention of Fragrance, Retention of Moisture, and Antiseptic Effect, Antibacterial Property and Solubility.
Duck Algin NSP-H	Algin	Iwase Cosfa	Can be applied as Thickner, Stabilizer, Dispersion agent, Gelling agent and Film former. Viscosity:500±50mPa·S / Molecular weight:480,000
Gamma Oryzanol PL-3000	Oryzanol, Butylene Glycol, Polysorbate 80, Water, Polysorbate 60, Stearic Acid, Alcohol, Dipotassium,	Iwase Cosfa	Gamma oryzanol is a compound made up of a plant sterol (a fat-like substance) and ferulic acid, 피하세포의 부활작용, 신진대사 촉진, 피부에서 빠르게 흡수되며 Anti-Oxidant기능 보유
Hi-Mic-1080	Microcrystalline Wax	Iwase Cosfa	이소파라핀이 주성분, 미결정성 고체, 점성, 고융점(60-85%)

취급품목			
상품명	일반명(INCI Name)	제조사명	원료 특징
Hydrogenated Castor Oil A	Hydrogenated Castor Oil	Iwase Cosfa	Hydrogenated Castor wax
Metolose 65-SH-50	Hydroxypropyl Methyl Cellulose.	Iwase Cosfa	
Pantethine	Pantethine	Iwase Cosfa	콜레스테롤 생합성 과정 중의 효소를 저해하여 합성을 억제하고 지질 이용을 촉진하여 혈액 중의 여분의 콜레스테롤과 중성지방을 제거한다. 또한 Coenzyme A의 생성을 증가시켜 신진대사를 전반적으로 활발히 해준다.
Spermaceti	Cetyl Myristate	Iwase Cosfa	경남은 고래(Spermwhale)의 머리 부분에 있는 납질의 고형성분을 정제한 것으로 펄 광택이 있는 백색, 반투명의 경정성을 보이는 왁스이다. 최근에는 합성경납이 사용되고 있다
AQUALINKER SU100	Polyurethane24,water,ethanol, phenxyethanol	Iwase Cosfa	It can expected to apply not only for hair styling agents, bul also for sunscreen, skin care, and make-up because of charateristics of AQUALINKER SU100 like humidity resistance, water
Hi-Mic-1080	Microcrystalline Wax	Japan Wax	이소파라핀이 주성분, 미결정성 고체, 점성, 고융점(60-85%)
Hydrolite-5	Pentylene Glycol	Kankohsha	항균성이 우수한 보습제, 안전성 우수
Kankohso-101	Plantonin	Kankohsha	PLANTONIN is officially authorized as a medicine (Drug Category NO.42) with its cell activating effect and has been developed on the basis of our rederch on this pharmacological property.
Kankohso-201	Quaternium-73	Kankohsha	Among some of cyanine compounds which have strongly antibacterial properties, PIONIN has been developed as one having excellent safety and color tone.
Kankohso-301	Quaternium-51	Kankohsha	TAKANAL is an amimovinyl-type and was developed as an improved hair frowth stimulant of ILLUMINOL R.
Kankohso-401	Quaternium-45	Kankohsha	LUMINEX is an aminovinyl-type selected as a cell activator for basic cosmetics.
KMO-6	1,2-Hexanediol	Kankohsha	It excels in antibacterial extremely and can use also for the preservation-from-decay / sterilization purpose.
Mabit	Maltitol	Kankohsha	Sugar-Resembling Properties. Water-Activity-Reducing Effect. Nom-Cariogenicity. Moisture Retention and Gloss
Chshima Sasa Water	Sasa Kurilensis Water	Kankohsha	아오모리현의 핫코다산록에 펼쳐진 원생국유림에 자생하는 야생 식 대만을 사용, 저온고압압착추출법: 다른 추출방법과는 다른 일체의 물이나 용매를 사용하지 않음. 생 섭대에서 100% 세포수를 추출
N Acetyl D Glucosamine	Acetyl Glucosamine	Kankohsha	Molecular weight of N-Acetyl Glucosamine is small. It fits in skin to Acetylate. It is precursor of Hyaluronic Acid. Name recognition
Agetect	Nephelium Longana Seed Extract	Katakura Chikkarin	Collagen Matrix Protecting Agent(Inhibition of MMPs acts), Collagenase and hyaluronidase inhibition activity
Dermapinoleoil	Pinus Parviflora Seed Oil	Katakura Chikkarin	Demapinoleoil is a functional fatty oil, which is highly refined for the cosmetic use, and it has anti-inflammatory and skin protection effects.
Kiribirth BG	Kappaphycus Alvarezii Extract	Katakura Chikkarin	KIRIBIRTH BG is a unique product extracted from seaweed (Kappaphycus alvarezii) growing in the limited sea in South Pacific.
Levure	Hydrolyzed Yeast	Katakura Chikkarin	LEVURE shows the effect to suppress melanin generation
Moistcoat	Chitosan Hydroxypropyltrimonium Chloride	Katakura Chikkarin	Moistcoat cationized the chitosan further, so it has high adsorbability to hair and excellent repairing effect in damaged hair.
Moistfine Liquid	Chitosan Succynamide	Katakura Chikkarin	히아루론산과 같은 보습 높은 특성,피막 형성 기능및 안정성 우수, 비이온 계면활성제와의 사용성 우수, 기초 제품에 다량 사용 해도 점도에 영향을 미치지 않음
Nutpeel Extract	Arachis Hypogaea (Peanet) Seedcoat Extract	Katakura Chikkarin	A natural skin protecting agent, Antioxidative & antibacterial activity
Royal biocyto	Hydrolyzed Royal Jelly Protein	Katakura Chikkarin	It was manifested Hydrolyzed protein in royal jelly has high collagen production stimulatory effects and abirritant effects, and it lead us to develop a novel cosmetic ingredient "ROYALBIOCYTE"
Seagem Collagen	Soluble Collagen	Katakura Chikkarin	SEAGEM COLLAGEN is non-mammalian collagen, a solution of native collagen from the skin of tuna (Thunnus
Seagem Collagen AS	Atelocollagen	Katakura Chikkarin	Odorless and transparent because of special refining process. Easy to blend with any type of material for cosmetic use because of higher compatibility compared with collagen of natural type. Flexibly usable for wide range
Blue No.1 Al Lake	Acid Blue 9 Aluminum Lake	Kishi Kasei	Al lake, Acid Dye FD&C Blue No.1, CI No. : 42091, Brilliant Blue FCF
Color Lake D&C Red NO.30	Red 30	Kishi Kasei	Lake, D&C Red N. 226, Vat Dye, CI 73361, Helindone Pink
Color Lake D&C Red NO.7	Red 7	Kishi Kasei	Lake, C.I.15850, Red No. 203, Lithol Rubine BCA
Color Lakes Red 104AI	Red 28	Kishi Kasei	AL lake, Acid Dye FD&C Red No.28, CI No. : 45411,
Red No.213	AKA213	Kishi Kasei	Basic Dye, D&C Red No.19, C.I. 45171, Rhodamine B



취급품목			
상품명	일반명(INCI Name)	제조사명	원료 특징
Red No.227	Acid Red 33	Kishi Kasei	Acid Dye, D&C Red No.33, C.I 17201, Fast Acid Magenta
Kunipia - G	Montmorillonite, SiO2, CaCO3	Kunimine Industries	Gelling Agent
ε-Aminocaproic Acid	ε-Aminocaproic Acid	Kyowa	Lecithin과 비교했을 때 유화력에 있어 뛰어난 안정성을 지님, 보습효과와 emollient 강화, 피부 자극 최소화, 용해력과 유화력에 있어 쉬운 조성
Lysolecithin Kyowa	Lecithin, Glycerin	Kyowa hakko	Lysolecithin Kyoya is a derivative of soybean lecithin through unique processes and enzymatic modification.
Glycacil L	IODO Propynyl Butylcarbamate, PEG-4 Lactate	Lonza	Glycacil L is one of the advanced preservatives available to date. This product provides for easy addition of IPBC to a wider range of personal care formulations than ever before.
Tensianol ISL	Sodium Lauryl Sulfate, Fatty acid, Coco, 2-sulfoethyl Esters Sodium salts, Lactic Acid, water	Manro	For Soap-free synthetic toilet bars
18-beta Glycyrrhetic Acid	Glycyrrhiza Glabra (Licorice) Root Extract	Maruzen	Alleviation of skin irritation, anti-inflammatory agents
3-Stearoyloxy Glycyrrhetic Acid	Glycyrrhetinyl Stearate	Maruzen	Oil-soluble derivatives of glycyrrhetic acid, Effective for the inflammation after sunburns and rashes
Algae Extract Powder-S	Algae Extract	Maruzen	Moisturizing
Aloe Extract (Kidachi) Powder-S	Aloe Arborescens leaf Extract	Maruzen	Moisturizing Anti-inflammatory
Aloe Extract BG-J	Aloe Ferox leaf extract	Maruzen	Anti-inflammatory Skin regeneration
Aloe Extract Gel BG(Kitachi)-J	Aloe Arborescens leaf Extract	Maruzen	Moisturizing Anti-inflammatory
Aloe Extract Powders	Aloe Ferox Leaf Wxtract	Maruzen	Anti-inflammatory Skin regeneration
Alpinia leaf Extract BG	Alpinia speciosa leaf Extract	Maruzen	The extract obtained from Alpinia has action of forming beautiful skin including collagen degradation depressant action, collagen generation acceleration action and skin fibroblast growth acceleration action.
Angelica Extract BG	Angenlica Keiskei Leaf/Stem Extract	Maruzen	Flavonoids, vitamins and minerals in angelica leislei were shown to have moisturizing and cell vitalizing activities.
Apple Extract BG-J	Pyrus malus (Apple) Fruit Extract	Maruzen	Moisturizing
Aqua Licorice Extract P-T	Glycyrrhiza Glabra (Licorice) root Extract, PPG-6-Decyletra Deceth-30, Water, BG	Maruzen	This liquid preparation contains P-T(40) 5.1%. Brightening and anti-spots effect.
Aqua Licorice Extract P-U	Glycyrrhiza Inflata Root Extract, PPG-6-Decyletra Deceth-30, Water, BG	Maruzen	This liquid preparation contains P-U 5.1%. Anti-acne and sebostatic effect.
Arnica Extract BG	Arnica montana Flower Extract	Maruzen	Anti-inflammatory Bloodsteram promotion Moisturizing Anti-androgen.
Artemisia capillaris Extract BG	Artemisia capillaris flower extract	Maruzen	Anti-inflammatory effect. Antiallergic effect. Antimicrobial effect in Streptococcus mutans. Inhibitory effect on dental plaque formation. Anti tyrosinase activity. SOD like activity.
Balm mint Extract BG-J	Melissa officinalis	Maruzen	Anti-inflammatory SOD-like activity Anti-allergy Sedative.
Balm mint Extract Powder-S	Melissa Officinalis (Balm Mint) Leaf Extract	Maruzen	Anti-inflammatory SOD-like activity Anti-allergy Sedative.
Beefsteak plant extract BG	Perilla ocymoides leaf Extract	Maruzen	Beefsteak plant extract has been reported to inhibit the production of TNF (Tumor Necrosis factor).
Beefsteak Plant Extract BG	Perilla Ocymoides Leaf Extract, Water, BG	Maruzen	들깨, 향염, 향알러지
Beefsteak plant Powder-S	Perilla ocymoides leaf Extract	Maruzen	Beefsteak plant extract has been reported to inhibit the production of TNF (Tumor Necrosis factor).
Birch bark Extract BG	Betula alba bark extract	Maruzen	The bark contains betulin which has anti-ageing and anti-inflammatory, sliming, and astringent effects
Bitter orange Peel Extract Powder-S	Citrus Aurantium Amara (Bitter Orange) Peel Extract	Maruzen	Bloodsteram promotion Catalase-like activity Stimulation
Black tea extract BG	Camellia sinensis leaf extract	Maruzen	Anti-oxidant inhibition of testosterone 5α-reductase Anti-elastase
Burdock Extract BG	Arctium lappa root extract	Maruzen	Moisturizing Eczema treatment Anti-microbial
Burnet Ext. BG	Sanguisorba Officinalis Extract, Water, BG	Maruzen	지유, 오이풀, 미백, 항노화, 향염, 향산화, 향균
Burnet Ext. BG	Sanguisorba Officinalis Extract, Water, BG	Maruzen	Burnet greatly attracts attention as a cosmetic material that is rich of the medicinal effects such as astringent effect, antityrosinase activity effect, disinfecting and antimicrobial effects, antiinflammatory effect (antiplasmin), SOD-like effect, etc
Burnet Ext. Powder	Sanguisorba Officinalis Root Extract	Maruzen	Burnet greatly attracts attention as a cosmetic material that is rich of the medicinal effects such as astringent effect, antityrosinase activity effect, disinfecting and antimicrobial effects, antiinflammatory effect (antiplasmin), SOD-like effect, etc

취급품목			
상품명	일반명(INCI Name)	제조사명	원료 특징
Chamomile Ext. Powder-S	Chamomilla Recutita (Matricaria) Flower Extract	Maruzen	Chamomille flower extract contains tannin, flavonoids, essential oil and so on.
Chamomile Extract BG	Chamomilla Recutita (Matricaria) Flower Extract	Maruzen	Chamomille flower extract contains tannin, flavonoids, essential oil and so on.
Chamomile Extract BG-10	Chamomilla Recutita (Matricaria) Flower Extract	Maruzen	Chamomille flower extract contains tannin, flavonoids, essential oil and so on.
Chinese caterpillar fungus Ext. BG	Cordyceps sinensis Extract.	Maruzen	Hair growth promotion Anti-inflammatory
Chinese Tea Extract BG	Camellia sinensis leaf extract	Maruzen	It is widely applied as a material having various action including "antimicrobial action", "anti-oxidant action", "anti-allergic action", "sliming action" and "deodorant antion". SOD-like activity. Catalase-like activity. Hydrozyl radical
Cili Extract BG	Rosa Roxburghii Fruit Extract Extract, Water, BG	Maruzen	Active Constituent : Vitamin C, Anti-inflammatory, Inhibition of Testosterone 6- $\alpha$ Reductase, Anti-oxidant
Cinchona Ext. BG	Cinchona Succirubra Bark Extract	Maruzen	SOD-like activity Anti-lipase Astringent Inhibition of testosterone 5 $\alpha$ -reductase
Citrus Junos Peel Ext.BG	Citrus Junos Peel Extract	Maruzen	Anti-oxidant
Citrus Unshiu Ext. Powder-S	Citrus Unshiu Peel Extract	Maruzen	Anti-inflammatory Inhibition of lipid synthesis
Citrus Unshiu Ext.BG	Citrus Unshiu Peel Extract	Maruzen	Anti-oxidant. Anti-inflammatory Inhibition of lipid synthesis.
Clove Ext.BG	Clove(Eugenia Caryophyllus) Extract, Water, BG	Maruzen	정향나무,Anti0Acne,항균,혈류촉진,항산화,진통
Clove Ext.BG	Clove(Eugenia Caryophyllus) Extract, Water, BG	Maruzen	Inhibition of Testosterone 5- $\alpha$ Reductase, Anti-Microbial, Analgesic, Anti-Oxidant
Cnidium Ext. Powder-S	Cnidium Officinale Root Extract	Maruzen	Bloodsteram promotion Anti-inflammatory
Cnidium Ext.BG	Cnidium Officinale Root Extract	Maruzen	Bloodstream promotion Anti-inflammatory
Coix Seed Ext. BG	Coix Lacryma-Jobi(Job's tears) Extract, Water, BG	Maruzen	Moisturizing, Anti-Inflamatory, Analgesic
Coix seed Ext. Powder-S	Coix Lacryma-Jobi (Job's Tears) Seed Extract	Maruzen	Moisturizing Anti-inflammatory
Coltsfoot Ext.BG-J	Tussilago farfara (Coltsfoot) Flower Extract	Maruzen	Anti-oxidant. Anti-Inflamatory.
Cornflower Ext.BG	Centaurea Cyanus Flower	Maruzen	Anti-inflammatory.
Cucumber Ext.BG	Cucumis Sativus(Cucumber) Fruit Extract	Maruzen	Moisturizing
D.P.G.	Dipotassium Glycyrrhizinate	Maruzen	Anti-Inflammatory effect
DNA-Na(SL)	Sodium DNA	Maruzen	The Na salt of DNA has a high moisture content, and is expected to be effective for the treatment of dry skin in which keratin has a low-moisturizing ability and rough skin.
Fennel Ext.BG	Foeniculum Vulgare(Fennel) Furuit Extract	Maruzen	Anti-oxidant
Fucus Vesiculosus Extract BG	Algae Extract	Maruzen	Moisturizing
Ganoderma Ext.BG	Ganoderma Lucidum (Mushroom) Stem Extract	Maruzen	Anti-inflammatory. Anti-oxidant
Gardenia Ext.BG	Gardenia Florida Fruit Extract	Maruzen	Anti-oxidant. Anti-Inflamatory. Hemostatic
Gentian Ext.BG-J	Gentiana Lutea Root Extract	Maruzen	Anti-Inflamatory. Collagen synthesis promotion
Geranium Ext.BG-J	Genranium Thunbergii Extract	Maruzen	Astringent. SOD-like activity. Anti-microbial. Anti-
Ginkgo Extract BG	Ginkgo Biloba Extract,Water,BG	Maruzen	Stimulator of blood flow
Ginseng Extract BG	Panax Ginseng Root Extract, Water, BG	Maruzen	Cell activation effect. Moisturizing effect.
Grape Leaf Ext.BG	Vitis Vinifera (Grape) Leaf	Maruzen	Moisturizing. Astringent.
Green Tea Ext.BG	Camellia sinensis leaf extract	Maruzen	Tea has also been used for skin care products due to its anti-bacterial, anti-oxidant, anti-allergic and skin elasticizing activities to keep young and elastic skin.
Hawthorn Ext.BG-J	Crataegus Cuneata Fruit Extract	Maruzen	HAWTHORN EXTRACT is considered to have strong scavenging activity of activeoxygen and moderate inhibitory effect of cAMP-PDE and splitting enzyme forextra cellular
Himalayan Raspberry Root Extract BG 80	Rubus Ellipticus Root Extract	Maruzen	Himalayan raspberry root extract possesses a potent fibroblast proliferation activity and vitalizers aging skin to
Hoelen Extract BG	Poria cocosExtract.	Maruzen	Sedative
Honey Suckle Extract BG	Linicera Japonica (Honey Suckle) Leaf Extract	Maruzen	Anti-microbial. Inhibition of cAMP phosphodiesterase.
Honey suckle Flower Extract BG	Lonicera Japonica(Honeysuckle) Flower Extract	Maruzen	Astringent, Anti-microbial, Anti-oxidant
Hops Extract BG	Hops (Humulus Lupulus) Extract, Water, BG	Maruzen	Inhibition of Testosterone 5- $\alpha$ Reductase, Anti-Allergy, Anti-Microbial

취급품목			
상품명	일반명(INCI Name)	제조사명	원료 특징
Horse Chestnut Ext.BG	Aesculus Hippocastanum (Horse Chestnut) Seed Extract	Maruzen	Anti-inflammatory
Horsetail Extract BG	Equisetum Arvense Extract	Maruzen	Anti-oxidant. Analgesics. Anti-aging. Anti-inflammatory
Hot Spring Water	Hot Spring Water	Maruzen	온천이란 지중에서 용출한 온수, 광수 및 수증기 등으로 섭씨 25도 이상의 온도 또는 수소이온 등 특성의 물질을 기준치이상 가진 것을 말합니다.
Hottuyenia Extract BG,Powder	Houttuynia Cordata Extract,Water, BG	Maruzen	Inhibition of Sebum, Anti-Inflammatory, Anti-microbial
Houttuynia Ext. Powder-S	Houttuynia Cordata Extract	Maruzen	Inhibition of sebum secretion Anti-inflammatory Anti-
Hydrolyzed Coix Seed Extract	Hydrolyzed Coix Lacryma-Jobima-Yuen Seed Extract	Maruzen	This product is a plant-derived moisturizer rich in amino acids, which is manufactured by the enzymatic hydrolysis of coix seed under super hight presser.
Hydrolyzed Prune BG	Hydrolyzed Prunus Domestica	Maruzen	Astringent. Moirturizing. Anti-inflammatory
Hypericum Ext.BG	Hypericum Perforatum Extract	Maruzen	Astringent Inhibition of testosterone 5α-reductase
Indian Dates Ext.BG	Tamarindus Indaca Extract	Maruzen	The extract from seed coat of indian dates cintains a large quantity of polyphenols, and it has been clarified that it functions as an anti-oxidant, deodorant, skin whitening agent, and anti-allergic agent.
Isodon Ext.BG	Isodonis Japonicus Extract	Maruzen	Anti-microbial Inhibition of testosterone 5α-reductase
Ivy Ext.BG	Hedera Helix (IVY) Extract	Maruzen	Anti-microbial Anti-inflammatory
Japanese angelaca Ext. BG	Angelica Acutiloba Root Extract	Maruzen	bloodstream promotion Moisturizing
Japanese Angelica Extract Powder-S	Angelica Acutiloba Root Extract	Maruzen	당귀, Bloodstram promotion, Moisturizing
Jujube Extract BG-J	Ziziphus jujuba fruit Extract	Maruzen	cAMP activation Moisturizing
Kohki tea Extract BG	Engelhardtia Chrysolepis Extract, Water, BG	Maruzen	황기, 항산화 효과 우수
Lavender Ext.BG-J	Lavendula Angustifolia (Lavender) Extract	Maruzen	Sedative Anti-microbial Anti-inflammatory
Lemon Ext.BG	Citrus Medica Limonum (Lemon) Peel Oil, Citrus Medica Limonum (Lemon) Fruit Extract, BG	Maruzen	Anti-inflammatory Moisturizing
Lettuce Ext.BG	Lactuca Scariola Sativa (Lettuce) Leaf Extract	Maruzen	sedative Moisturizing
Linden Ext.BG	Tilia Cordata Flower Extract	Maruzen	Tthis extract has been used in cosmetics for anti-aging.
Loquat Leaf Ext. Powder-S	Eriobotrya Japonica Leaf Extract	Maruzen	As is the case with the peach leaf, which belongs to the same Rosaceae family, the loquat leaf is brewed and used to treat dermatitis, eczema and sudamen
Loquat Leaf Ext.BG-J	Eriobotrya Japonica Leaf Extract	Maruzen	Inhibitory effect on lipase activity. Radical scavenging
Loquat Leaf Extract CA	Eriobotrya Japonica Leaf Extract	Maruzen	Loquat (Eriobotrya japonica) Leaf Extract has been widely used as a cosmetic ingredient because of its anti-inflammatory and astringent effects.
Luffa Ext.BG-J	Luffa Cylindrica Fruit Extract	Maruzen	The water extracted from cut luffa stems, known as "luffa water", was used as an antitussive and diuretic drug, and as a toilet lotion.
Machilus Bark Extract BG	Machilus Bark Extract, BG, Water	Maruzen	Since Machilus bark extractpossesses a potent collagenase inhibition activity, it is expected to suppress excessive collagen decomposition and protect the dermis layer from UV-induced damage. Collagenase inhibition. Skin moisture retention. Improvement of
Mallotus Bark Ext.BG	Mallotus Japonicus Bark Extract, BG, Water	Maruzen	Since mallotus bark extract possesses a potent collagen production activity, it is expected to protect the dermis layer from aging and UV damage, and to improve skin elasticitu.
Mallow Extract BG	Malva Sylvestris(Mallow) Extract, Water, BG	Maruzen	Due to the high phlegm cintent in Mallow, MALLO EXTRACT BG has a moisturizing effect. Further the tannin in Mallow ants as an astringent. Moisturizing effect. Beutifying effect.
Marigold Ext.BG-J	Calendula Officinalis Flower	Maruzen	Anti-inflammatory Anti-microbial
Marjoram Ext.BG	Origanum Majorana Leaf Extract, BG, Water	Maruzen	Marjoram extract was developed by advanced Skin Research Institute Co.,Ltd.,and the patent titled" a substance to elevatte hyaluronic acid production performance of plants in the beefsteak-plant family"
Mugwort Extract BG	Artemisia Princeps Leaf Extract	Maruzen	Anti-inflammatory Anti-allergy Hemostatic
Mugwort Extract Powder-S	Artemisia Princeps Leaf Extract	Maruzen	Anti-inflammatory Anti-allergy Hemostatic
Mukurossi Ext Powder	Sapidus Mukurossi Peel Extract	Maruzen	Mukurossi possesses many useful characteristics for use in cismetic products, such as its foam-ability, antimicrobial effect and inhibitory effect on lipase activity.
Mulberry Extract BG-T	Morus Alba Root Extract, ware, BG	Maruzen	Anti-tyrosinase, Anti-inflammatory, Carageenan or dextran edema inhibitive effect. Cyclic AMP phosphodiesterase inhibitive effect. Hypotensive, diuretic, antitussive effects.

취급품목			
상품명	일반명(INCI Name)	제조사명	원료 특징
Mulberry Extract BG	Morus Alba Root Extract	Maruzen	Antityrosinase activity. Carageenan or dextran edema inhibitive effect. Cyclic AMP phosphodiesterase inhibitive effect. Hypotensive, diuretic, antitussive effects.
Nettle Extract BG	Urtica Dioica (Nettle) Extract	Maruzen	Collagen synthesis promotion anti-androgen
Olive Leaf Ext. BG		Maruzen	It has a very strong effect in suppressing active oxygen, and promises to prevent skin from aging
Olive Leaf Extract BG	Olea Europaea (Olive) Leaf Extract	Maruzen	It has a very strong effect in suppressing active oxygen, and promises to prevent skin from aging
Parsley Extract BG-J	Carum Petroselinum (Parsley) Extract	Maruzen	Anti-inflammatory
Peach Leaf Ext. Powder-S	Prunus persica (Peach) Leaf Extract	Maruzen	Anti-inflammatory Anti-microbial
Peach Leaf Extract BG-J	Prunus Persica (Peach) Leaf Extract	Maruzen	Anti-inflammatory Anti-microbial
Pearl Protein Extract BG	Hydrolyzed Conchiolin, Water, BG, Methylparaben	Maruzen	This CONCHIOLIN is a protein consisted of some 20 kinds of amino acid and redembles in its composition to the moisturizing substance, NMF (Natureal Moisturizing Factor)in the homy layer of the skin, so that it is now marked as a mew type of dermal cosmeto
Peony Root Ext. Powder-S	Paeonia Albiflora Root Extract	Maruzen	The many studiens have shown that the ingredients found in the peony are suitable for use in cosmetic products because of their inhibitory ability of melanin and anti-oxidative effect. Antioxidative effect. SOD like activity.
Peony Root Extract BG	Peonia Albiflora Root Extract, Water, BG	Maruzen	The many studiens have shown that the ingredients found in the peony are suitable for use in cosmetic products because of their inhibitory ability of melanin and anti-oxidative effect. Antioxidative effect. SOD like activity.
Peppermint Ext. Powder-S	Mentha Piperita (Peppermint) Leaf Extract	Maruzen	Anti-inflammatory Cooling Inhibition of testosterone 5α-resuctase
Peppermint Extract BG	Menrha Piperia (Peppermint) Leaf Extract	Maruzen	Anti-inflammatory Cooling Inhibition of lipid synthesis
Phellodendron Ext. Powder-S	Phellodendron Amurense Bark Extract	Maruzen	Anti-microbial Anti-inflammatory UV absorption inhibition of lipis synthesis
Phellodendron Extract BG-J	Phellodendron Amurense Bark Extract	Maruzen	Anti-microbial Anti-inflammatory UV absorption Inhibition of lipid synthesis
Phyto-Elasticizer BG	Glycyrrhiza Glabra (Licorice)root Extract	Maruzen	Collagen synthesis promotion Proliferation
Plant Extract Complex BG <Moisture>	Thymus Serpillum Extract, Panax Ginseng Root Extract, Origanum Maiorana Leaf Extract	Maruzen	Moisturizing
Polygoni Multiflori Extract BG	Polygonum Multiflorum Root Extract	Maruzen	Hair Growth promotion
Polyol Soluble Licorice Extract BG	Glycyrrhiza Glabra (Licorice) Root Extract	Maruzen	Whitening, Anti-oxidant, Anti-tyrosinase, Anti-microbial, and SOD-like activitiy
Polyol Soluble Licorice Extract BG-10	Glycyrrhiza Glabra (Licorice)root Extract	Maruzen	Whitening, Anti-oxidant, Anti-tyrosinase, Anti-microbial, and SOD-like activitiy
Polyol Soluble Licorice Extract BG100	Glycyrrhiza Glabra (Licorice)root Extract	Maruzen	Whitening, Anti-oxidant, Anti-tyrosinase, Anti-microbial, and SOD-like activitiy
Polyol Soluble Licorice Extract GK	Glycyrrhiza Glabra (Licorice) root Extract	Maruzen	감초 , 미백,Glabrind 함량 35% 이상, 식약청 고시원료, Whitening, Anti-oxidant, Anti-tyrosinase, Anti-microbial, and SOD-like activity
Polyol Soluble Licorice Extract P-T(40)	Glycyrrhiza Glabra (Licorice)root Extract	Maruzen	감초 , 미백,Glabrind 함량 35% 이상, 식약청 고시원료, Whitening, Anti-oxidant, Anti-tyrosinase, Anti-microbial, and SOD-like activitiy
Polyol Soluble Licorice Extract PT-H	Glycyrrhiza Glabra (Licorice)root Extract	Maruzen	Whitening, Anti-oxidant, Anti-tyrosinase, Anti-microbial, and SOD-like activitiy
Polyol Soluble Licorice Extract P-U	Glycyrrhiza Glabra (Licorice) Root Extract	Maruzen	Sebum regulation, Inhibition of testosterone 5α-reductase, Anti-androgen, Anti-microbial, Anti-lipase, Anti-phospholipase A2, SOD-like activity,.. Ultraviolet absorption
Polyol Soluble Licorice Extract P-U	Licorice(Glycyrrhiza Inflata) Extract	Maruzen	감초 , Anti-Acne, licochalcone 함량 15-20%
Quillaja Extract BG	Quillaja Saponaria Bark Extract	Maruzen	Moisturizing Surface activation
Raspberry Extract BG	Rubus Idaeus (Raspberry) Fruit Extract	Maruzen	Moisturizing
Rehmannia Extract BG-J	Rehmannia Glutinosa Root	Maruzen	Moisturizing
Restharrow Extract BG	Ononis Spinosa Root Extract	Maruzen	Anti-inflammatory
Rice Bran Extract BG	Oryza Sativa (Rice) Bran Extract	Maruzen	Moisturizing
Rice Germ Oil	Oryza Sativa (Rice) Bran Oil	Maruzen	Moisturizing Bloodstream promotion
Rose Fruit Extract BG-10	Rosa Multiflora Fruit Extract	Maruzen	Whitening SOD-like activity Inhibition of lipid peroxidation Astringent



취급품목			
상품명	일반명(INCI Name)	제조사명	원료 특징
Rose Fruit Extract BG-10	Rosa Multiflora Fruit Extract	Maruzen	The died mature fruit of rose fruit is called Eijitsu(營實/ROSAE FRUCTUS) In Japan, it is used as a purgative traditionally and listed in Japanese Pharmacopoeia In China, it is called Syoubi(多花薔薇/multi flower rose) and rose oil taken from its flower is used
Rosemary Extract BG-J	Rosmarinus Officinalis (Rosemary) Leaf Extract	Maruzen	SOD-like activity, Anti-allerge, Inhibition of testosterone 5 $\alpha$ -reductase
Royal Jelly Extract BG	Royal Jelly Extract	Maruzen	Proliferation, Moisturizing
Royal Jelly Extract Powder	Royal Jelly Extract	Maruzen	Proliferation, Moisturizing
S.G	Stearyl Glycyrhretinate	Maruzen	The product is manufactured to potentiate the anti-inflammatory activity, to reduce acute toxicity, and to improve solubility in oils or fats, of glycyrrhetic acid; and now, it is utilized in cosmetic and quasi-drugs for the
Safflower Extract BG	Carthamus Tinctorius (Safflower) Flower Extract	Maruzen	Anti-Inflammatory Coloring
Sage Extract BG	Salavia Offcinalis (Sage) Leaf Extract	Maruzen	Anti-inflammatory Anti-microbial Inhibition of Testosterone 5 $\alpha$ -reductase
Saponaria Extract BG	Saponaria Officinalis Extract	Maruzen	Foaming Eczema Treatment
Saxifrage Extract BG	Saxifraga Sarmentosa Extract	Maruzen	SOD-like Activity Whitening Anti-inflammatory
Scutellaria Root Extract BG	Scutellaria Baicalensis Root Extract, Water, BG	Maruzen	SOD-like activity. Anti-inflammatory activity.
Scutellaria Root Extract Powder	Scutellaria Baicalensis Root Extract	Maruzen	SOD-like activity. Anti-inflammatory activity.
Shitake Extract BG	Corthellus Shitake (Mushroom) Extract	Maruzen	Shitake extract powder, which is obtained by the hydrothermal extraction of Shitake, contains large quantities of amino acids and polysaccharides, as well as provitamin
Sophora Extract BG	Sophora Angustifolia Extract, Water, BG	Maruzen	Anti-microbial, Whitening, UV absorption
Star Fruit Leaf Extract BG30	Averrhoa Carambola Leaf Extract	Maruzen	The Fruits are used for lowering of fever, diuresis, detoxication, suppressant od coughing, blotches and toothache. Collagen synthesis promotion. Clinical trial on
Swertia Herb Ext BG, Liquid ET	Swertia Japonica Extract, Water, BG	Maruzen	The Fruits are used for lowering of fever, diuresis, detoxication, suppressant od coughing, blotches and
Swertia Herb Ext BG-T,70	Swertia Japonica Extract, Water, BG	Maruzen	당약(센푸리), 혈류촉진, 육모 작용
Thyme Extract BG	Thymus Vulgaris Thyme Extract	Maruzen	Anti-inflammatory Anti-microbial
Tiencha Extract BG	Rubus Suavissimus(Raspberry) Leaf Extract, Water, BG	Maruzen	Tiencha has been reported to have an anti-allergic effect, and the tea has come to be widely srunk in japan. Catalase-like activity. Hydrozyl radical scavenging effect. Anti-collagenase activity.
Tomato Extract BG	Solanum Lycopersicum (Tomato) Extract	Maruzen	Moisturizing
Toucha Extract BG	Ampelopsis Grossedentata Branch/Leaf Extract, Water, BG	Maruzen	The extract of Toucha is found to possess strong free radical scavenging effects. It is considered as a new promising cosmetie ingredient. SOD-like activity. Catalase-like activity. Hydrozyl radical scavenging effect.
Tumeric Extract BG	Curcuma Longa (Tumeric) Root Extract, Water, BG	Maruzen	Anti-inflammatory, Coloring
White Lily Extract BG	Lilium Candidum Bulb Extract	Maruzen	Moisturizing
Wild Thyme Extract BG	Thymus Serpillum Extract	Maruzen	Anti-inflamamatory Anti-Allergy Anti-oxidant
Witch Hazel ExtractBG	Hamamelis Virginiana (Witch Hazel) Extract	Maruzen	Astringent Anti-inflammatory SOD-like Activity
Yarrow Extract Bg-J	Achillea Millefolium Extract	Maruzen	Anti-inflammatory Inhibition of histamine release Hemostatic
Yeast Extract BG	Sacchoaromyces Cereviae Extract	Maruzen	The beer yeasts, the product of the so called biotechnology, are rich in contents of vitamins and proteines, so they are utilized as starting material to produce vitamins and inosinic acid and as nutritional supplements.
Zanthoxylum Extract BG	Zanthoxylum Piperitum Fruit	Maruzen	Anti-microbial Stimulation
Lotus Germ Extract BG-05	Nelumbo Nucifera Germ Extract	Maruzen	About Lotus (It is widely consumed as an edible plant in Asian Countries, and has strong symbolism as well as beatiful and exotic spiritual image.) The efficacy of LOTUS GERM EXTRACT BG-05 as anid-aging ingredient (Promotive effect of fibroblast cell proliferation, Regulating effect of the skin turnover)
Siratro Extract BG	Macroptilium Atropurpleum Flower/Leaf/Stem Extract	Maruzen	Identified main active componet, Ingrease basement membrane components production, Inhibition of MMPs activities and production, Increase basement membrane components in 3D model

취급품목			
상품명	일반명(INCI Name)	제조사명	원료 특징
Saponin Complex BG30	Dipotassium Glycyrrhizinate, Quillaja saponaria extract, Sapindus mukurossi peel extract	Maruzen	It is a promising ingredient against many kinds of skin trouble caused by excessive sebum secretion such as acne, enlarged pores and poor make up coverage. It has an odor eliminating effect against isovaleric acid. It has an anti-microbial effect for bacteria related with body odors and resident skin bacteria.
Pomegranate Extract BG30	PUNICA GRANATUM PERICARP EXTRACT, PUTYLENEGLYCOL, WATER	Maruzen	Deaccelerates unwanted body hair growth Safety material from its food experience Recommended for sensitive skin after shaving,
Silver Vine Extract	ACTINIDIA POLYGAMA FRUIT EXTRACT, BUTHLENEGLYCOL, WATER	Maruzen	Inhibition of protein carbonylation in the horny layer, Clinical study, Moisturizing, Preventing skin turnover delay, Anti-oxidation,
BOTANICAL EXTRACT COMPLEX B	Scutellaria Baicalensis Root Extract etc	Maruzen	투명하고 흰 피부를 위한 토탈 화이트닝 성분(BOTANICAL EXTRACT COMPLEX B)는 종래의 미백을 위한 타이로시나제 활성저해나 멜라닌 생성억제 뿐만 아니라 근년 주목되고 있는 멜라닌 생성에 관련된 정보 전달물질 엔도세린-1의 산성억제나 이미 생성된 멜라닌
UIME EXTRACT (B)-BG	Prunus Mume Fruit Extract etc	Maruzen	1.항당화작용 가교반응저해작용, 가교절단촉진작용, AGEs형성억제작용, AGEs 분해촉진작용 2.피부질개선작용
Artemisia capillaris Extract BG	Artemisia Capillaris Flower Extract etc	Maruzen	Artemisia capillaris is listed as an upper class drug in the Chinese traditional herbal medicine book written in 2000 years ago. In Japan, it is often prescribed in Traditional Chinese Medicine formulations It can usually be found in riverbeds and seashores, it is called "Kawara-yomogi(河原蓬)", which means riverbed mugwort in
Silver Vine Extract BG30	Actinidia Polygma	Maruzen	Fruit is edible in raw and utilized for fruit wine. In flower season, color of leaf is whitened in order to attract pollinating insects →Having natural whitening power and good image for
Bees Wax	Bees Wax	Miki	This is the purified product of bleached Bee's Wax which is mainly extracted from beehive of Western honey bee. Special attention is paid not to use any chemicals except using activated charcoal in order not to damage original ingredients of Natural Bee's
Bees Wax (GB)	Bees Wax	Miki	Bleached Bee's Wax deodorizing processed under molecular distillation, Which prevent odor-returning phenomenon. In addition to manufacturing Granulated products, we are manufacturing fine powder products.
Platinum Colloidal Solution	Platinum Powder, Peg-3 Sorbitan Oleate	Nano-e	Colloidal platinum water consists of only water and nano-size particles of metal platinum negatively charged
Castolide MH	Hydrogenated Castor Oil Hydroxystearic	National Mimatsu	수산기를 가지고 있는 지방산이어서 흡습성이 높고 매우 뛰어난 포수성을 갖고 있어 화장품의 사용감을 향상시킨다
Castolide MS	Hydrogenated Castor Oil Stearate	National Mimatsu	수산기를 가지고 있는 지방산이어서 흡습성이 높고 매우 뛰어난 포수성을 갖고 있어 화장품의 사용감을 향상시킨다
Aronvis AH-105	Sodium Polyacrylate	Nihon Junyaku	Super-high polymer electrolyte, Increases viscosity with a small amount of addition. Effective also in a slightly acid range as a thickner
Aronvis S	Sodium Polyacrylate	Nihon Junyaku	Super-high polymer electrolyte, Increases viscosity with a small amount of addition. Will cause coagulation and cloud the solution in white, when added to polyvalent metal salt solutions beyond the limits
Aronvis SS	Sodium Polyacrylate	Nihon Junyaku	Super-high polymer electrolyte, Increases viscosity with a small amount of addition. Will cause coagulation and cloud the solution in white, when added to polyvalent metal salt solutions beyond the limits
Aronvis S-S	Poly Acrylate	Nihon Junyaku	Hydrogel, 점증제
Aronvis-M	Sodium Polyacrylate	Nihon Junyaku	Highly effective thickner with little spinnability, Thickner for latex and emulsion, thickner for paint and cosmetics
Junlon PW-110	Polyacrylate	Nihon Junyaku	Can be neutralized with any alkaline agent such as NaOH, ammonia and triethanolamine.
Junlon PW-111	Polyacrylate	Nihon Junyaku	Can be neutralized with any alkaline agent such as NaOH, ammonia and triethanolamine.
Jurymer AC-10H	Polyacrylic Acid, Water	Nihon Junyaku	High polymer water solution, Shows great adhering powder to bases. Shows ionic-sealing power, when added to polyvalent metallic salts below the limits.
Jurymer AC-10L	Polyacrylate	Nihon Junyaku	Shows good dispersing and binding power with various pigments
Jurymer AC-10SH	Polyacrylate	Nihon Junyaku	Aqueous solution, . Shape-forming, Moisture retentivity imparting agent, Adhesive auxiliary

취급품목			
상품명	일반명(INCI Name)	제조사명	원료 특징
Jurmer AC-20H	Poly Acrylic acid	Nihon Junyaku	Hydrogel, 점증제, 접착성
Jurmer AC-20H	Polyacrylate	Nihon Junyaku	The substance is a copolymer water solution mainly containing highly polymer-ized acrylic acid.
Jurmer AT-510	Ammonium Acrylates Copolymer, Alcohol, Water	Nihon Junyaku	Hydrogel, 점증제, 접착성
Jurmer AT-510(A)	Ammonium Acrylates Copolymer, Alcohol, Methyl Paraben, Water	Nihon Junyaku	Hydrogel, 점증제, 접착성
Cosmol 43V	Polyglyceryl-2 Triisostearate	Nisshin Oillio	저융고점(-5℃이하), 안료분산성, 색소용해성 우수한 고극성 에스테르, Lipstick 발한 방지 기능
Tocopherol 100	Tocopherol	Nisshin Oillio	Natural Tocopherol from vegetable Oils such as soybean and rape seed. Anti-oxidant for cosmetics.
Tocopherol 80	Tocopherol	Nisshin Oillio	Natural Tocopherol from vegetable Oils such as soybean and rape seed. Anti-oxidant for cosmetics.
Nomcort TQ-5	Trehalose Isostearate Esters	Nisshin Oillio	Raw materials are vegetable-origin. Good compatibility with esters, triglycerides, hydrocarbons, etc.
Basis LP-20	Lecithin	Nisshin Oillio	Lecithin, Phosphatidylcholine(30%)
Basis LP-20	Lecithin	Nisshin Oillio	It is refined phospholipid which is extracted from the soybean. It contains 20~30% phosphatidylcholine in
Basis LP-20H	Hydrogenated Lecithin	Nisshin Oillio	Lecithin, Phosphatidylcholine(30%)
Basis LP-20H	Hydrogenated Lecithin	Nisshin Oillio	It is refined and Hydrogenated phospholipid which is extracted from the soybean.
Basis LS-60	Lecithin	Nisshin Oillio	Lecithin, Phosphatidylcholine(60%)
Basis LS-60	Lecithin	Nisshin Oillio	It is refined phospholipid which is extracted from the soybean. It contains 65~75% phosphatidylcholine in
Basis LS-60HR	Hydrogenated Lecithin	Nisshin Oillio	Lecithin, Phosphatidylcholine(70%)
Basis LS-60HR	Hydrogenated Lecithin	Nisshin Oillio	It is refined and Hydrogenated phospholipid which is extracted from the soybean. It is which or pale yellow and a little odor powder. It contains 65~75% phosphatidylcholine in phospholipid.
Cosmol 102	PPG-7/Succinic Acid Copolymer	Nisshin Oillio	It is a condensation product of PPG7 and succinic acid.
Cosmol 13	Octyldodecyl Lactate	Nisshin Oillio	It is the ester of β-branched long chain alcohol and lactic acid
Cosmol 168AR	Dipentaerythrityl Hexahydroxystearate/Hexastearate / Hexarosinate	Nisshin Oillio	Lanolin replacement. Good water-holding capacity. Tecommended for lipsticks and hair treatments.
Cosmol 168AR(V)	Dipentaerythrityl Hexahydroxystearate/Hexastearate / Hexarosinate	Nisshin Oillio	Lanolin replacement. Good water-holding capacity. Tecommended for lipsticks and hair treatments.
Cosmol 168EV	Dipentaerythrityl Tetrahydroxystearate/tetraisostearate	Nisshin Oillio	It is the tetraester of dipentaerythritol and 12-hydroxystearic acid and isostearic acid.
Cosmol 182V	Sorbitan sesquiisostearate	Nisshin Oillio	It is a mixture of monoesters and diesters of isostearic acid and hexitol anhydrides derived from sorbi-tol.
Cosmol 222	Diisostearyl Malate	Nisshin Oillio	고점도. 5,000mP·s. 안료분산성, 색소용해성 및 Wax용해성이 우수, 안정한 에스테르, 피마자유의 기능
Cosmol 222	Diisostearyl Malate	Nisshin Oillio	고점도. 5,000mP·s. 안료분산성, 색소용해성 및 Wax용해성이 우수, 안정한 에스테르, 피마자유의 기능
Cosmol 41	Polyglyceryl-2 Isostearate	Nisshin Oillio	Lipophilic nonionic surfactant
Cosmol 41V	Polyglyceryl-2 Isostearate	Nisshin Oillio	It is the monoester of methyl-branched isostearic acid and diglycerin.
Cosmol 42	Polyglyceryl-2 Diisostearate	Nisshin Oillio	Lipophilic nonionic surfactant
Cosmol 42V	Polyglyceryl-2 Diisostearate	Nisshin Oillio	It is diester of methyl-branched isostearic acid and diglycerin.
Cosmol 43	Polyglyceryl-2 Triisostearate	Nisshin Oillio	저융고점(-5℃이하), 안료분산성, 색소용해성 우수한 고극성 에스테르, Lipstick 발한 방지 기능
Cosmol 43(V)	Polyglyceryl-2 Triisostearate	Nisshin Oillio	저융고점(-5℃이하), 안료분산성, 색소용해성 우수한 고극성 에스테르, Lipstick 발한 방지 기능, Vegetable origin
Cosmol 43N	Polyglyceryl-2 Triisostearate	Nisshin Oillio	Highly methy-branched isostearic acid ester. High glossiness. Recommended for lip glosses.
Cosmol 43SV	Polyglyceryl-2 Triisostearate	Nisshin Oillio	저융고점(-5℃이하), 안료분산성, 색소용해성 우수한 고극성 에스테르, Lipstick 발한 방지 기능
Cosmol 44	Polyglyceryl-2 Tetraisostearate	Nisshin Oillio	4개의 에스테르 결합과 1개의 에테르 결합을 가지고 있는 고분자량으로 비교적 극성이 높음
Cosmol 44(V)	Polyglyceryl-2 Tetraisostearate	Nisshin Oillio	4개의 에스테르 결합과 1개의 에테르 결합을 가지고 있는 고분자량으로 비교적 극성이 높음, Vegetable origin
Cosmol 525	Neopentyl Glycol Diethylhexanoate	Nisshin Oillio	It is the diester of neopentyl glycol and branched medium chain acid.

취급품목			
상품명	일반명(INCI Name)	제조사명	원료 특징
Cosmol 812	Isostearyl Myristate	Nisshin Oillio	It is the monoester of multiple branched long chain isostearyl alcohol and myristic acid.
Cosmol 82	Sorbitan sesquiisostearate	Nisshin Oillio	Nonionic emulsifier. HLB≈5 Recommended for foundation and w/o creams. It contains tocopherol approx. 100ppm
E.P.O	Oenothera biennis (Evening primrose) Oil	Nisshin Oillio	It is oil od evening primrose seed. It is pale yellow or yellow and a little odor liquid. It contains 5% γ-linolenic acid.
Estemol N-01	Neopentyl Glycol Dicaprate	Nisshin Oillio	It is the diester of neopentyl glycol and medium chain acid.
Nomcort 64G	Caprylic / Capric triglyceride	Nisshin Oillio	Medium-chain triglyceride(MCT). Nom0greasy feel. Excellent solvent. Recommended for lipsticks, cleansing oils.
Nomcort EP-2	Polysaccharide	Nisshin Oillio	Nomcort EP-2(WME) is an aqueous solution of naturally-derived polymer. Nomcort EP-2(WME) can be used for making high elastic gels.
Nomcort HK-G	Glyceryl Behenate /Eicosadioate	Nisshin Oillio	W/O gelling agent, 광범위한 유제에 대해 우수한 gelling 효과, 고융점(65℃)
Nomcort HK-P	Polyglyceryl-10 Behenate /Eicosadioate	Nisshin Oillio	O/W gelling agent, 광범위한 Alcohol, Polyol에 대해 우수한 gelling 효과, 고융점(68℃)
Nomcort HPD-C	Hydrogenated polydecene	Nisshin Oillio	Formula weight approx.660 Purity Hydrogenated decene dimer not more than 1% (calculated as C20-oligomers)
Nomcort LAH	GLYCERYL ETHYLHEXANOATE/ STEARATE/ADIPATE	Nisshin Oillio	Good water-holding capacity. Stable to oxidation. Recommended for skin creams, lotions and hair treatments.
Nomcort PHS	Hydrogenated Palm Oil	Nisshin Oillio	It is triglyceride, which is a bit of partly hydrogenated refined palm oil.
Nomcort SG	Glyceryl Behenate/Isostearate/Eicosadioate	Nisshin Oillio	Soft Gel, Thixotropic Gel, Gel with Cyclomethicone
Nomcort T.I.O	Triethylhexanoin	Nisshin Oillio	Glycerin과 branched medium chain acid(decanoic acid)의 triester. 알킬기 가지때문에 낮은 응고점, 천연 triglycerin보다 저점도
Nomcort TAB	Ethylhexyl Methoxycinnamate	Nisshin Oillio	UV-B absorber. Almost odorless
Nomcort TAB-R	Ethylhexyl Methoxycinnamate	Nisshin Oillio	UV-B absorber. Almost odorless
Nomcort W	Petrolatum	Nisshin Oillio	Highly refined and very stable solid petrolatum. Recommended for foundation and lipsticks.
Nomcort X	Glyceryl ethylhexanoate dimethoxycinnamate	Nisshin Oillio	UV-B absorber. High molecular weight extremely stable and safe ester.
Nomcort Z	Xanthan gum	Nisshin Oillio	Higher viscosity and yield point than standard Xanthan gum. Recommended for lotion, hair colors.
Nomcort ZZ	Xanthan gum	Nisshin Oillio	Higher viscosity and yield point than standard Xanthan gum. ZZ is a transparent type Recommended for lotion, hair
O.D.O	Caprylic / Capric triglyceride	Nisshin Oillio	Medium-chain triglyceride(MCT). Nom0greasy feel. Excellent solvent. Recommended for lipsticks, cleansing oils.
Salacos 121	Glyceryl hydroxystearate (AND) Glyceryl stearate	Nisshin Oillio	It is the monoester of glycerin and hydroxystearic acid. It is the hydrolyzed hydrogenated castor oil.
Salacos 2014	Octyldodecyl Myristate	Nisshin Oillio	ODM
Salacos 3318	Triisostearin	Nisshin Oillio	Highly methyl-branched isostearic acid ester. High glossiness. Recommended for lipsticks, lip glosses.
Salacos 334	Caprylic / Capric / Myristic / Stearic Triglyceride	Nisshin Oillio	Emollient wax with melting point at around 40℃ Recommended for lipsticks, foundation and hair treatment.
Salacos 5408	Pentaerythrityl Tetraethylhexanoate	Nisshin Oillio	High Molecular weight and stable ester. Leave a rich feel. Recommended for lip glosses and skincare products.
Salacos 5418V	Pentaerythrityl Tetraisostearate	Nisshin Oillio	High Molecular weight and stable ester. Leave a rich feel. Recommended for lip glosses and skincare products.
Salacos 6318V	Trimethylolpropane Triisostearate	Nisshin Oillio	slow spreading emollient. Recommended as a good binder for pigmented products. It contains tocopherol Approx.200ppm
Salacos 816T	Cetyl Ethylhexanoate	Nisshin Oillio	Non-oily emollient ester. Recommended for skin creams, cleansing oils, suntan lotions.
Salacos 913	Tridecyl Isononanoate	Nisshin Oillio	Nom-oily, nearly dry emollient. Silicone oil solubilizer. Recommended for cleansing oils, light creams, lotion, bath oils.
Salacos 99	Isononyl Isononanoate	Nisshin Oillio	Dry and silky touch emollient. Silicone oil and silicone gum solubilizer. Recommended for light creams, lotions, bath
Salacos 9925G	Isononyl isononanoate, Dimethicone	Nisshin Oillio	Mixture of gum silicone and SALACOS 99. Silicone content is 25%. Recommended for haircare products.
Salacos DG-158	Polyglyceryl-2 Sesquicaprylate	Nisshin Oillio	Nonionic emulsifier. Recommended for oil based facial cleanser. It contains tocopherol approx. 101ppm.
Salacos DG-180	Polyglyceryl-2 Oleate	Nisshin Oillio	Nonionic emulsifier. Recommended for oil based facial cleansers and w/o creams.



취급품목			
상품명	일반명(INCI Name)	제조사명	원료 특징
Salacos DGS-16	Diglyceryl Sebacate/Isopamitate	Nisshin Oillio	It is a condensation product of diglycerin and sebacic acid and isopalmitic acid.
Salacos DT-318S	Ditrimethylolpropane Isostearate/Sebacate	Nisshin Oillio	Extremely effective pigment dispersing and low falls of hardness as compared to other base oil in various wax
Salacos DT-38	Ditrimethylolpropane Triethylhexanoate	Nisshin Oillio	Extremely effective pigment dispersing and low falls of hardness as compared to other base oil in various wax
Salacos E-38	Erythrityl Triethylhexanoate	Nisshin Oillio	Extremely effective pigment dispersing and low falls of hardness as compared to other base oil in various wax
Salacos FH	Phytosteryl Hydroxystearate	Nisshin Oillio	Similar to intercellular lipid. Excellent water-holding capacity. Solid emollient for creams, lotions, cleansing creams and lipsticks.
Salacos GE-118	Peg-20 Glyceryl Isostearate	Nisshin Oillio	It is the monoester of PEG-20 Glycerol and Isostearic acid.
Salacos GE-318	Peg-20 Glyceryl Triisostearate	Nisshin Oillio	It is the triester of PEG-20 Glycerol and Isostearic acid.
Salacos HS	Cholesteryl Hydroxystearate	Nisshin Oillio	Similar to intercellular lipid. Excellent water-holding capacity. Solid emollient for creams, lotions, cleansing creams and lipsticks.
Salacos MG	Glyceryl hydroxystearate (AND) Glyceryl stearate	Nisshin Oillio	The main components of it are Glyceryl Mono-12-hydroxystearate, Glyceryl Monopalmitate and Glyceryl Monostearate
Salacos P-8	Ethylhexyl Palmitate	Nisshin Oillio	Non-oily emollient ester. Similar to Cetyl Ethylhexanoate. Recommended for hairsprays, skin creams, cleansingoils, suntan lotions.
Salacos PG-180	Polyglyceryl-10 Oleate	Nisshin Oillio	Nonionic emulsifier. Recommended for oil based facial cleanser and micromulsions combination with DG-180. It contains tocopherol approx. 300ppm
Salacos PG-218	Polyglyceryl-10 Dioleate	Nisshin Oillio	Nonionic emulsifier. Recommended for oil based facial cleanser. It contains tocopherol approx. 501 ppm.
Salacos PGDSV	Polyglyceryl-10 Distearate	Nisshin Oillio	Emulsifiable without soap or EO (ethylene oxide)-based emulsifier Suitable for gel emulsification and phase-reversal emulsification
Salacos PGMSV	Polyglyceryl-10 Stearate	Nisshin Oillio	Emulsifiable without soap or EO (ethylene oxide)-based emulsifier Suitable for gel emulsification and phase-reversal emulsification
Salacos PO(T)	Phytosteryl Oleate	Nisshin Oillio	Excellent water-holding capacity. Semi-solid emollient for creams, lotions and lipsticks. It contains tocopherol approx. 100ppm
Salacos WO-6	Dipentaerythrityl Tri-polyhydroxystearate	Nisshin Oillio	Superior water-holding capacity and waterproof film ability. Excellent dispersing agent for pigment. High glossiness.
Soybean Oil YM	Glycine soja (soybean) oil	Nisshin Oillio	Glycine soja(Soybean)Oil is the oil obtained from soybean by extraction or expression. It contains essentially of triglycerides of oleic, linoleic, linolenic and saturated acids. Recommended for skin care products.
T.I.O	Triethylhexanoin	Nisshin Oillio	Glycerin과 branched medium chain acid(decanoic acid)의 triester, 알킬기 가지때문에 낮은 응고점, 천연 triglycerin보다 저점도
Tocopherol 100	Tocopherol	Nisshin Oillio	Natural Tocopherol from vegetable Oils such as soybean and rape seed. Anti-oxidant for cosmetics.
Tocopherol 80	Tocopherol	Nisshin Oillio	Natural Tocopherol from vegetable Oils such as soybean and rape seed. Anti-oxidant for cosmetics.
Nomcort CG	Xanthan Gum, Ceratonia Siliqua Gum	Nisshin Oillio	식물 유래의 수용성 고분자, 투명성 높은 고탄성 gel 및 sol 조제가 능, 조제한 gel 및 sol의 특징(1.피막효과, 2.다양한 형상의 성형화, 3.
Salacos PR-17	Propandiol Diisostearate	Nisshin Oillio	식물 유래성분만으로 만든 에스테르 유제, 마카다미아오일과 같은 부드럽고 촉촉한 사용감, 범용 식물 유래 에스테르 유제(ODO)에 비해 가수분해성 우수
Salacos DP-518N	Dipentaerythrityl Pentaisostearate	Nisshin Oillio	Hydrogenated Polyisobutene과 유사한 감촉을 지니는 고점성 에스테르 유제(347,000mPa.s/20°C), 안료 분산성 양호, 탄화수소오일 에스테르오일 화산식리크에 상용
Salacos PR-85	Propanediol Dicaprylate/Dicaprate	Nisshin Oillio	식물유래성분만으로 만든 에스테르, 우수한 클렌징 성능, 범용 식물 유래 에스테르 유제(ODO)에 비해 가수분해성 우수
Salacos HG-85	Polyglyceryl-6, Octacaprylate	Nisshin Oillio	비중이 물과 비슷(0.997), 저점도 로션에서도 안정도 우수, 식물 유래성분만으로 만든 에스테르, 식품첨가물 규격에 적합
Nomcort AG	Agar, Xanthan Gum	Nisshin Oillio	Easy to prepare SURFACTANT-FREE EMULSIONS with several kinds of oil, including High Polar Esters and Insoluble Combination Of Oils, Possible to develop new emulsion products related to oil texture with large particle size, Easy to emulsify several kinds of oil without consideration of the

취급품목			
상품명	일반명(INCI Name)	제조사명	원료 특징
Nomcort CG	Xanthan Gum, Ceratonia Siliqua Gum	Nisshin Oillio	Water-soluble polymer from VEGETABLE Easy to make TRANSPARENT ELASTIC GEL (or SOL) Characteristics of Gel (or SOL) Skin Covering Effect, Easy molding, Anti-Freezing, Compatible with active ingredients (Collagen, Vitamin C derivatives, etc.)
Salacos HS-6C	Polyhydroxystearic Acid	Nisshin Oillio	Superior in Pigment Dispersing Ability, Disperse Pigments Uniformly and Improve SPF value, Moisturizing Effect and Excellent Foam for Cleansers
Phytosphingo FR-1	Phytosphingoglycolipid	Okayasu Shoteng	It is an aqueous basal material in the form of 1% dispersed liquid of phytosphingoglycolipid derived from refined rice extraction, easy to apply to cosmetic formulations.
Gamma Oryzanol WS-300P	Gamma Oryzanol	Riken	피하세포의 부활작용, 신진대사 촉진, 피부에서 빠르게 흡수되며 Anti-Oxidant기능 보유
Spermaceti	Cetyl Myristate	Riken	핸드크림
Lysolecithin Kyowa	Soybean Lysophosphatide, Glycerine	T&K Lecithin Co.	기능성, 친수성 천연유화제
C.P.H.	Hydroxyapatite	Taihei	고결 방지제, 땀이나 피지를 선택적으로 흡착시켜 화장을 지속 (makeup)
C.P.H.(JSQI)	Hydroxyapatite	Taihei	치마용 기재, 안정제
FL-HAP	Hydroxyapatite	Taihei	Biocompatibility. Adsorption of Lipid Peroxide. Long Lasting of makeup.
FL-HAP(SC)	Hydroxyapatite	Taihei	Biocompatibility. Adsorption of Lipid Peroxide. Long Lasting of makeup.
Molasessliquid	Saccharum Officinarum(Sugar Cane) Extract	Taiyo Kagaku	흑설탕에서 추출하여 얻은 수용성, 멜라닌 생성 억제 기능
Sunsoft M-12J	Polyglyceryl-10 Laurate	Taiyo Kagaku	Nonioninc surfactant having superior detergent and foaming ability.
Sunsoft M-12JW	Polyglyceryl-10 Laurate	Taiyo Kagaku	Nonioninc surfactant having superior detergent and foaming ability.
Sunsoft Q-12D	Polyglyceryl-2 Laurate	Taiyo Kagaku	Polyglyceryl-2 Laurate
Suntheanine	Theanine	Taiyo Kagaku	The active component, L-Theanine found in green tea leaves that induces relaxation without drowsiness.
Tensianol ISL	Sodium Lauryl Sulfate, Fatty acid, Coco,2-sulfoethyl Esters Sodium salts, Lactic Acid, water	TensaChem	100% soap free, very mild, Non Comedogenic, Low base odor, Compatible with all kinds of additives (oils, perfumes, actives, etc.), Contain moisturizing ingredients which prevent dry skin, No reaction with Ca/Mg salts (no unsightly deposite/scum), Foam in
AM-200	-	Titan Kogyo, Ltd.	It is Al doped Micaceous Iron Oxide by hydrothermal production. AM-200 has brilliance feeling, Excellent dispersibility and good orientation in coated film, It is Iron and aluminum are principal
ST-600 Series	Titanium Dioxide, Alunminum Hydrexide, Dimethiconemethicone copolymer, Citric acid	Titan Kogyo, Ltd.	Oriented and aggregated of ultrafine rutile titanium dioxides, Excellent light shielding capability in the UV region, Good spread-ability and moderate hiding power of large particle type, Various
ST-700 Series	Titanium Dioxide, Alunminum Hydrexide, Methylhydrogenpoly-siloxane	Titan Kogyo, Ltd.	Large particle aggregated by rutile type ultrafine particles, Glides onto the skin easily, Moderate hiding power, Light shielding capability in the UV region, Various Particle Size.(0.3,
ZD-100	Zinc oxide, Decamethylcyclopentasiloxane, PEG-9 Polydimethylsiloxyethyl Dimethicone, Methylhydrogenpolvsiloxane	Titan Kogyo, Ltd.	Low viscosity, Excellent transparency and great feeling, High SPF and PA
ST-400 Series	Titanium dioxide, Aluminium hydroxide,Stearic acid	Titan Kogyo, Ltd.	Enhanced Transparency & Excellent light shielding capability in the UV region, Consistent particle distribution, Some grades are
TD3312	Decamethylcyclopentasiloxane, Titanium dioxide,PEG-9 Polydimethylsiloxyethyl Dimethicone,Aluminium hydroxide	Titan Kogyo, Ltd.	Low viscosity, Excellent transparency and great feeling, High SPF and PA
TAROX Iron Oxide	Iron Oxide	Titan Kogyo, Ltd.	It is manufactured in modern facilities under a stringent quality control regime to guarantee continuous supply of quality products. * High purity, high uniformity and non-toxicity * Pure and bright colors of mass and tint tone
Fucoidan	Cladosiphon Novae-Caledoniae Extract	Tomgle wood	security and safe raw material are being extracted by the original low-temperature extraction method in the native condition.
Chitofine	Chitin	Tosco	Superior affinity, adherence and thin elastic film forming to the skin with natural moisturizing function.

취급품목			
상품명	일반명(INCI Name)	제조사명	원료 특징
Ramie Cellulose Powder	Cellulose	Tosco	Regardless of the shape or size, namely is powder form or fibril form, big or small particle, it keeps porosity which is characteristic to ramie cellulose.
SAFEELIA PGA BS-10	Sodium Polygamma-Glutamate etc	Whacostech	SAFEELIA PGA BS-10은 천연 성분인 GEL PROTEIN 1%를, SAFEELIA PGA BS-20은 천연 성분인 GEL PROTEIN 2%를 사용하여 용이하게 만든 아미노산 보습제 베이스입니다. GEL PROTEIN은 IDEMITSU社에서 Cross-linking technology와 Fine-graining technology를 이용해서 만든 수분 흡수율이 대단히 높은 천연 고분자 물질입니다. GEL PROTEIN은 밀림 현상이 없이 부드럽고 촉촉하고 상쾌한 느낌을 부여하며, 특히 끈적이지 않습니다. SAFEELIA PGA BS-10과 SAFEELIA PGA BS-20은 스킨, 로션,
SAFEELIA PL Moist 510FH	Polytosteryl Hydroxystearate etc	Whacostech	Best Practice of Strengthening Skin Barrier Function Using Liquid Crystal Technology, Oil/WaterBalance Improvement for dry skin,
SAFFLIA WGE-60SP	Dimethicone etc	Whacostech	Conditioning effect in shampoo system contained SILICONE EMULSION is 1.Maximized in using the SILICONE GUM, especially SILICONE GUM that has heavy molecular weight, rather than Silicone Fluid, 2.Bettered in case of the SILICONE PARTICLE SIZE is larger as long as the stability is sustained (shelf time : 3years at least), 3.Designed to optimize the stability & effects on shampoo system by using SAFEELIA WGE-60SP.
SAFEELIA HC-1295	Dimethicone etc	Whacostech	Multifunctional Product : -Excellent Conditioning Effect for Treatment, Conditioner. *Specially designed for Premium Conditioners. Recommended Dosage : 4.0~ 5.5%(Premium Treatment), 2.5 ~ 4.0(Conditioner), >2.5(Rinse)
SAFEELIA UV CLEAR TiO2-40AQ	Titanium Dioxide etc	Whacostech	SAFEELIA UV CLEAR TiO2-40AQ can be incorporated into O/W or W/O Emulsions. Recommended Usage Concentration : <15% SAFEELIA UV CLEAR TiO2-40AQ is normally added as separate phase after emulsification. In W/O emulsion, SAFEELIA UV CLEAR TiO2-40AQ is stirred into water phase before emulsification; homogeneous mixing.
SAFEELIA EMUL-2L	Hydrogenated Lecithin etc	Whacostech	Emulsifier for 2-Layer toner. Emulsifier Free System Two-in-One, Very high safety, Very good texture, Atopy, Sensitive skin, High visible effect
SAFEELIA PIT CL-200	Ceteth-20 etc	Whacostech	SAFEELIA PIT CL-200은 HLB이론과 SAA의 계면활성능을 베이스로 하여 개발된 콜로이드 과학의 High Technology입니다. 피부 밀착감이 우수하고, 저 에너지 고효율의 고농축 벌크형 나노에멀전으로 스킨 유액, 에센스 크림 등의 피부영양을 공급해주는 제형에 잘 맞도록 설계되었으며, 클렌징 티슈타입의 스킨케어에 기능 부여 및 클렌징 리무버제품에도 적용될 수 있습니다. 특히, 수/유용성의 영양 성분을 나노 입자화 할 수있어 보다 높은 효능을 느끼게 해주는
SAFEELIA PIT EM-150	Ceteth-20 etc	Whacostech	SAFEELIA PIT EM-150은 HLB이론과 SAA의 계면활성능을 베이스로 하여 개발된 콜로이드 과학의 High Technology입니다. 피부 밀착감이 우수하고, 저 에너지 고효율의 고농축 벌크형 나노 에멀전으로 스킨, 유액, 에센스, 크림 등의 피부영양을 공급해주는 제형에 잘 맞도록 설계되었으며, 물처럼 묽지만 피부 속으로 흡수되어 마치 에센스의 감촉을 실감하게 해 주는 영양농축액 입니다. 특히, 수/
SAFEELIA PGA CAPSULE	Sodium Polygamma-Glutamate etc	Whacostech	SAFEELIA PGA CAPSULE은 Biotechnology와 Self-assembly vesicle 공법으로 개발된 NMF성분의 일종인 아미노산 보습제입니다. SAFEELIA PGA CAPSULE은 γ-PGA가 피부 표면에서만 작용하는 것이 아니라 피부 속까지 아미노산 보습 기능을 발휘 할 수 있도록 하기 위하여 High pressure homogenizing 공법을 이용하여 캡슐화된 기술입니다. 특히, 끈적이지 않고 피부 흡수력이 탁월하며, 많은 양을 사용하여도 밀림 현상이 없이 부드럽고 촉촉한 사용감을 발휘하도록 감성공학을 바탕으로 개발하여 스킨, 로션, 미용액, 크림 등에 보습 기재로써 편리하게 널리 사용할 수 있

취급품목			
상품명	일반명(INCI Name)	제조사명	원료 특징
SAFEELIA LC-100	Polyglycerin-10 Distearate etc	Whacostech	SAFEELIA LC-100은 피부과학과 콜로이드 화학을 접목시킨 피부장벽 강화를 위한 Best Practice Role Model이라고 할 수 있는 저자극성 액정 유화제입니다. 특히 로션, 에센스 등의 저 점도의 액정 제형에도 잘 맞도록 설계되었으며, 가벼운 사용 감촉과 발랐을 때, 느껴지는 액정 Barrier를 실감하게 해주는 Skin Care 효과를 가진 영양 액정유화제라고 할 수 있습니다. 구성하는 성분마다 피부의 안전성을 고려하여, 피부에 적합하고 액정이 내용물에 안정하게 제형화가 가능하도록 최적화시켰으며, 액정의 두께를 보다